



# Waste Discharge Self Monitoring Report

Mail to: Metro, Industrial Waste  
130 Nickerson St., Suite 200,  
Seattle, WA 98109-1658

Company Name ALASKAN Copper Works

Permit No. \_\_\_\_\_ Month February Year 1993 No. of Employees (per day) Average \_\_\_\_\_ Maximum \_\_\_\_\_

Station No. \_\_\_\_\_

Site No. 7238

All units mg/l unless otherwise noted

Industry Type \_\_\_\_\_

Sample Date (date)	Sample Type C (composite) or G (Grab)	pH		Cadmium, Cd	Chromium, Cr	Copper, Cu	Lead, Pb	Mercury, Hg	Nickel, Ni	Silver, Ag	Zinc, Zn	Cyanide, CN, A	Cyanide, CN, T	Fats, Oils and Grease (FOG)	Total Toxic Organics (TTO)	Other Parameters	Flow (GPD) Total	Flow (GPD) Industrial	Flow (GPD) Specify	Notes
		Min	Max																	
1		9.6	11.0													21,977	2607			
2		10.2	11.1													21,792	2422			
3		9.0	10.8													21,474	2104			
4	C	9.0	11.1	2.0	0.4			1.8	1.0						21,017	1647	METRO Grab Cd <0.05 Cr 2.8 Pb <0.1 Cu 0.4			
5	G	8.9	11.5	0.05	2.8	0.7	0.1	2.5	0.1						22,228	2858	Ni 2.7 Zn 0.1			
6																				
7																				
8		8.8	10.0												22,352	3012				
9		8.9	10.5												22,062	2693				
10		8.5	10.1												21,769	2399				
11		8.9	10.3												22,659	3289				
12		8.2	10.2												22,646	3276				
13																				
14																				
15		8.9	10.1												22,155	2785				
16		8.4	10.3												22,648	3278				
17		8.3	10.2												21,600	2230				
18	C	9.1	10.3	0.84	0.23	0.59	0.11								21,315	1945				
19		9.0	10.6												21,644	2274				
20																				
21																				
22		8.4	10.6												22,234	2804				
23		8.9	11.5												21,727	2357				
24		8.8	10.3												21,570	2200				
25		8.7	10.5												21,077	1707				
26		8.1	10.7												22,120	2750				
27																				
28																				
29																				
30																				
31																				
Min.																				
Max.																				
Average																				

Please circle all permit violations

Additional Comments

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my knowledge of the person or persons who manage the system, or those persons directly responsible, I am aware that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment.

  
Signature of Principal Executive or Authorized Agent

Date  
2/21/93



## **Waste Discharge Self Monitoring Report**

Mail to: Metro, Industrial Waste  
130 Nickerson St., Suite 200,  
Seattle, WA 98109-1658

Company Name Alaskan Copper Works

Permit No. \_\_\_\_\_ Station No. \_\_\_\_\_

\_\_\_\_\_

Month FEBRUARY

S

### Other Parameters

9

01

**No. of Employees (per day) Average**

All units mg/l unless

### Maximum

de

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

*[Signature]* **Signature of Principal Executive or Authorized Agent**

Date \_\_\_\_\_